



Trunk Road T2 and Infrastructure Works
for Developments at the Former South Apron
Contract No. ED/2018/04

Name of Department: CEDD

Monthly Summary Waste Flow Table for 2021 (KT)

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	a.Total Quantity Generated (a=c+d+e)	b. Hard Rock and Large Broken Concrete	c. Reused in the Contract	d. Reused in Other Projects	e. Disposed as Public Fill	f. Imported Fill	g. Metals	h. Paper / Cardboard Packaging	i. Plastics	j. Chemical Waste	k. Others, e.g. general refuse
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m ³)
January	17.559	0.000	0.500	16.698	0.361	0.000	14.800	0.200	0.000	0.200	0.125
February	18.317	0.000	0.390	17.814	0.113	0.000	12.500	0.000	0.000	0.000	0.082
March	35.911	0.000	0.000	35.818	0.093	0.000	0.000	0.000	0.000	0.000	0.113
April	19.056	2.107	0.820	16.703	1.533	0.000	273.540	0.000	0.000	0.000	0.094
May	24.657	1.209	0.397	3.112	21.148	0.000	113.200	0.000	0.000	0.000	0.072
June	32.755	0.000	0.000	31.313	1.442	0.000	97.600	0.000	0.000	0.000	0.076
Sub-total	148.254	3.316	2.107	121.458	24.689	0.000	511.640	0.200	0.000	0.200	0.562
July											
August											
September											
October											
November											
December											
Total	148.254	3.316	2.107	121.458	24.689	0.000	511.640	0.200	0.000	0.200	0.562

Monthly Summary Waste Flow Table

Notes:

- (1)The performance targets are given in ER Appendix 8I Clause 14 and the EM&A Manual(s).
- (2)The waste flow table shall also include C&D materials to be imported for use at the Site.
- (3)Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.
- (4)The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³. (ER Part 8 Clause 8.8.5 (d) (ii) refers).