

## Appendix G - Noise Monitoring Results

Location CM1 - Nga Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
28 Feb 2022	13:40	Sunny	70.4	73.7	68.8	65.5	69

Due to the Covid-19's measures, monitoring work at station CM1, CM2 and CM3 were suspended during the period from 9 to 18 Feb 2022.

No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.

Location CM2 - Bik Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
28 Feb 2022	13:00	Sunny	70.2	73.1	68.2	63.6	69

Due to the Covid-19's measures, monitoring work at station CM1, CM2 and CM3 were suspended during the period from 9 to 18 Feb 2022.

No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.

Location CM3 - Block S, Yau Lai Estate Phase 5, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
28 Feb 2022	14:15	Sunny	69.5	72.0	67.4	65.6	67

Due to the Covid-19's measures, monitoring work at station CM1, CM2 and CM3 were suspended during the period from 9 to 18 Feb 2022.

No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.




Location CM4 - Tin Hau Temple, Cha Kwo Ling							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
10 Feb 2022	13:30	Fine	64.3	67.1	62.4	62.0	60
16 Feb 2022	15:30	Fine	65.8	67.2	61.9	62.0	63
28 Feb 2022	15:05	Sunny	67.8	69.5	65.3	62.0	66

No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.

Location CM5 - CCC Kei Faat Primary School, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
10 Feb 2022	10:00	Fine	65.3	68.4	62.1	68.2	65 Measured ≤ Baseline
16 Feb 2022	16:20	Fine	66.0	67.2	63.5	68.2	66 Measured ≤ Baseline
28 Feb 2022	10:00	Sunny	65.3	67.8	62.4	68.2	65 Measured ≤ Baseline



No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.

## Noise Levels



Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S Date Feb 22	Project No. MA20003 Appendix G	
--	----------------------------------	---	--

## Noise Levels



**Notes:**

- 1) The major activitie(s) being carried out on site during the reporting period is/are presented in Section 1.10
- 2) The weather conditions during the reporting month are presented in Appendix C.
- 3) Other factors which might affect the monitoring results are presented in Section 3.13.
- 4) No monitoring work was schedule as the site at CKL portion was temporary closed during the period from 20 Feb to 27 Feb 2022.
- 5) Due to the Covid-19's measures, monitoring work at station CM1, CM2 and CM3 were suspended during the period form 9 to 18 Feb 2022.

Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron  Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S  Date Feb 22	Project No. MA20003  Appendix G	
---	--------------------------------------	---	--