



Name of Department: CEDD

Monthly Summary Waste Flow Table for 2022 (KT)

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	a.Total Quantity Generated (a=c+d+e)	b. Hard Rock and Large Broken Concrete	c. Reused in the Contract	d. Reused in Other Projects	e. Disposed as Public Fill	f. Imported Fill	g. Metals	h. Paper / Cardboard Packaging	i. Plastics	j. Chemical Waste	k. Others, e.g. general refuse
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000m ³)
January	10.929	2.331	0.000	10.914	0.015	0.000	94.890	0.460	0.000	11.000	0.068
February	7.698	0.114	0.000	7.601	0.097	0.000	41.250	0.280	0.000	0.000	0.087
March	19.029	1.628	0.000	19.019	0.010	0.000	17.310	0.000	0.000	0.000	0.086
April	11.801	0.247	0.000	11.774	0.027	0.000	3.250	0.700	0.000	0.000	0.120
May	21.837	0.240	0.000	20.107	1.730	0.000	83.570	0.000	0.000	8.000	0.070
June	58.530	0.310	0.000	20.264	38.266	0.000	68.180	0.260	0.000	4.800	0.069
Sub-total	129.823	4.871	0.000	89.679	40.144	0.000	308.450	1.700	0.000	23.800	0.500
July	19.492	0.000	0.000	0.000	19.492	0.000	0.000	0.700	0.000	7.000	0.060
August	26.720	0.000	0.000	3.825	22.895	0.000	0.000	0.000	0.000	11.500	0.057
September											
October											
November											
December											
Total	176.036	4.871	0.000	93.504	82.531	0.000	308.450	2.400	0.000	42.300	0.617

Monthly Summary Waste Flow Table

Notes:

- (1)The performance targets are given in ER Appendix 8I Clause 14 and the EM&A Manual(s).
- (2)The waste flow table shall also include C&D materials to be imported for use at the Site.
- (3)Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.
- (4)The Contractor shall also submit the latest forecast of the total amount of C&D materials expected to be generated from the Works, together with a breakdown of the nature where the total amount of C&D materials expected to be generated from the Works is equal to or exceeding 50,000 m³. (ER Part 8 Clause 8.8.5 (d) (ii) refers).